

PIKKYO™

Free to mark anywhere



Battery-powered dot peen marking system



PIKKYO™

Free to mark anywhere

Electromagnetic stylus
with temperature control

Support mask
with adjustable dimensions



Double ergonomic handle
for right and left-handed people

Li-Ion battery 18VDC,
Indicative lifetime:
115 min. of marking

TECHNICAL DATA	PIKKYO	PIKKYO-XL
Marking area	74x30 mm.	140x30 mm.
Storable layouts	4,3 Kg.	4,8 Kg.
Weight (including battery)	1000	
Marking speed	up to 3 char./s	

Innovative and functional marking system, light but with an excellent compromise between mechanical stability and easy handling.

It is a machine completely independent of any external power source, designed to mark freely, thanks to the 18V lithium ion battery.

It is also equipped with an electromagnetic stylus with temperature control that prevents the creation of potentially harmful overheating.

It's useful marking area is 74x30 mm (standard version) or 140x30 mm (XL version) and is delivered with two batteries supplied.

Inside it is mounted a latest-generation electronic control, with a 32-bit processor, which allows you to create, save and manage up to 1000 different marking layouts completely independently of the PC.

PIKKYO is equipped with a double ergonomic handle that allows a stable and safe grip both to right and left-handed people and to a support mask with adjustable dimensions that can be adapted to the different working surfaces.

This highly reliable marker does not require any special maintenance and is equipped with the standby function for energy saving which allows a longer battery life.

Among the various options it is possible to have the column for its use in benchtop applications.

The new Identify3 PC software also represents a decisive step forward for the management of dot peen marking devices, being able to generate layouts containing any Windows font, Logos, Data Matrix codes, to import data from Excel files and to give access to the remote assistance by a BERMA technician.

Professionalism, flexibility, innovation ... then 100% made in Italy. That's why choosing us.



320x240 color display
Marking layout preview

32-bit processor
Memory 1000 layouts

USB-B port
PC Connection

RS-232 port
Serial connection




Pikkyo XL



Integrated Wi-Fi connection

Software IDENTIFY3



Import logos from BMP, DXF, DWG and PLT files

Data Matrix codes marking

Link to Excel sheets

Integrated remote assistance

Remote control of the user panel

Customization (Industry 4.0)



PIKKYO STAND

Optional column for benchtop applications



by




BERMA MACCHINE S.r.l.

Office - Showroom

Via Roma, 14/18
20087 Robecco S/N (MI)
tel. +39 02 42449967

Office - Showroom

Via Pastrengo, 102/6
10024 Moncalieri (TO)
tel. +39 011 4156956



Headquarter - Production unit

Via San Vitale 33
Z.I. Canaletti
40054 Budrio (BO)
tel. +39 051 802437

www.pikkyo.eu